Table S2. List of ongoing remdesivir RCTs from trial registries

TRIAL ID	Title	Country	Type of	Comparators	Completion Date
			Patient;		
			Remdesivir regimen		
IRCT2020040	Randomized	Iran	Hospitalized;	Standard of	Ongoing
5046953N1	trial of		daily infusion	Care;	
(SOLIDARIT	additional		for 10 days	Chloroquine or	
Y) 24	treatments for		(dose	HCQ;	
	COVID-19 in		unspecified)	Lopinavir/Rito	
	hospitalized			navir;	
	patients who are all			Lopinavir/Rito navir + IFN B-	
	receiving the			la	
	local standard			1	
	of care- Iranian				
	SOLIDARITY				
	multicentre trial				
NCT04321616	The	Norway	Hospitalized;	Standard of	August, 2020
(SOLIDARIT	(Norwegian)		ICU; 200mg intravenous	Care; HCQ	(Ongoing)
Y) 25	NOR Solidarity Multicenter		loading dose,		
	Trial on the		followed by		
	Efficacy of		100mg once-		
	Different Anti-		daily		
	viral Drugs in		maintenance		
	SARS-CoV-2		dose for 10		
	Infected Patients		days		
EUCTR2020-	An	Spain; Italy	Hospitalized;	HCQ;	Ongoing
001366-11	international	Spain, Italy	100mg	Chloroquine;	Oligonia
(SOLIDARIT	randomized		intravenous	Lopinavir/Rito	
Y) 26	trial of		(duration	navir; IFN B-1a	
	additional		unspecified)		
	treatments for				
	COVID-19 in				
	hospitalized patients who				
	are all				
	receiving the				
	local standard				
	of care				
NCT04330690	A Multi-centre,	Canada	Hospitalized;	Standard of	March 18, 2023
(SOLIDARIT	Adaptive, Randomized,		200mg intravenous	Care; HCQ;	(Ongoing)
Y) 27	Open-label,		loading dose,	Lopinavir/Rito navir	
	Controlled		followed by	114111	
	Clinical Trial		100mg once-		
	of the Safety		daily		
	and Efficacy of		maintenance		
	Investigational		dose for 10		
	Therapeutics for the		days		
	Treatment of				
	COVID-19 in				
	55 1 17 m	I	I	1	1

NCT04349410	Hospitalized Patients (CATCO: Canadian Treatments for COVID-19), in Conjunction With the Public Health Emergency SOLIDARITY Trial	United States		NCO -	Ostalou II
28 28	The Fleming [FMTVDM] Directed CoVid-19 Treatment Protocol	Officed States	Hospitalized; 200mg intravenous loading dose, followed by 100mg once- daily maintenance dose for 10 days	HCQ + Azithromycin; HCQ + Doxycycline; HCQ + Clindamycin; HCQ + Clindamycin + Low-Dose Primaquine; HCQ + Clindamycin + Tocilizumab; Methylpredniso lone; IFN A- 2b; Losartan; Convalescent Serum	October 11, 2020 (Ongoing)
NCT04315948 (DisCoVeRy) 29	Multi-centre, Adaptive, Randomized Trial of the Safety and Efficacy of Treatments of COVID-19 in Hospitalized Adults	France; Luxembourg	Mechanical Ventilation; 200mg intravenous loading dose, followed by 100mg once- daily maintenance dose for 10 days	Standard of Care; HCQ; Lopinavir/Rito navir; Lopinavir/Rito navir + IFN B- 1a	March, 2023 (Ongoing)
EUCTR2020- 001052-18 (ACTT UK- EU) 30	A Multicenter, Adaptive, Randomized Blinded Controlled Trial of the Safety and Efficacy of Investigational Therapeutics for the Treatment of COVID-19 in	Denmark; UK; Greece; Spain	Hospitalized; Mechanical Ventilation; 100 to 200mg intravenous (duration unspecified)	Placebo	Ongoing

Hospitalized		
Adults -		
Version for		
European		
Union/United		
Kingdom Sites		